L2 ANSWER 3 OF 14 REGISTRY COPYRIGHT 2006 ACS on STN

RN 628731-45-3 REGISTRY

ED Entered STN: 21 Dec 2003

CN 1H-Imidazole, 4-(3-cyclopenten-1-ylmethyl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD MF C9 H12 N2

CI COM

SR CA

LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

$$CH_2$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
L7
     ANSWER 42 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN
RN
     18169-72-7 REGISTRY
ED
     Entered STN: 16 Nov 1984
CN
     Silane, isocyanotrimethyl- (6CI, 7CI, 9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN
     Silyl isocyanide, trimethyl- (8CI)
OTHER NAMES:
     Isocyanotrimethylsilane
CN
CN
     Trimethylsilyl isocyanide
FS
     3D CONCORD
     C4 H9 N Si
MF
LC
     STN Files:
                  BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, GMELIN*, TOXCENTER,
       USPATFULL
         (*File contains numerically searchable property data)
Me<sub>3</sub>Si−N C-
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
              32 REFERENCES IN FILE CA (1907 TO DATE)
              32 REFERENCES IN FILE CAPLUS (1907 TO DATE)
              11 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
L7
     ANSWER 43 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN
RN
     18090-17-0 REGISTRY
ED
     Entered STN: 16 Nov 1984
CN
     Silyl isocyanide, methyl- (8CI) (CA INDEX NAME)
FS
     3D CONCORD
MF
    C2 H5 N Si
```

$$H_3C-SiH_2-N\stackrel{+}{=}C-$$

LC

STN Files: CA, CAOLD, CAPLUS

- 2 REFERENCES IN FILE CA (1907 TO DATE)
- 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN

RN 30718-17-3 REGISTRY

ED Entered STN: 16 Nov 1984

CN Silane, (isocyanomethyl)trimethyl- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Methyl isocyanide, (trimethylsilyl) - (8CI)

OTHER NAMES:

CN Trimethylsilylmethyl isocyanide

FS 3D CONCORD

MF C5 H11 N Si

CI COM

LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, CHEMCATS, CSCHEM, MSDS-OHS, TOXCENTER, USPATFULL

(*File contains numerically searchable property data)

 $Me_3Si-CH_2-N \stackrel{+}{=} C-$

26 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

27 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 12.30 12.51

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 10:30:05 ON 27 JUN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Jun 2006 VOL 145 ISS 1 FILE LAST UPDATED: 26 Jun 2006 (20060626/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s ll and imidazol?

27 L1

94625 IMIDAZOL?

L2 3 L1 AND IMIDAZOL?

=> d l2 1-3 ibib abs hitstr

L2 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN

L7 ANSWER 8 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN

RN 371754-36-8 REGISTRY

ED Entered STN: 25 Nov 2001

CN Silane, [(4-isocyanophenyl)ethynyl]trimethyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 4-Trimethylsilylethynylphenyl isocyanide

FS 3D CONCORD

MF C12 H13 N Si

SR CA

LC STN Files: CA, CAPLUS, CASREACT

- 3 REFERENCES IN FILE CA (1907 TO DATE)
- 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
L7 ANSWER 20 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN
```

RN 220957-45-9 REGISTRY

ED Entered STN: 04 Apr 1999

CN Silane, (2-isocyanophenyl)trimethyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2-Trimethylsilylphenyl isocyanide

FS 3D CONCORD

MF C10 H13 N Si

SR CA

LC STN Files: CA, CAPLUS, CASREACT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 21 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN

RN 220721-04-0 REGISTRY

ED Entered STN: 25 Mar 1999

CN Silane, [[4-isocyano-3,5-bis(1-methylethyl)phenyl]ethynyl]trimethyl-(9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2,6-Diisopropyl-4-((trimethylsilyl)ethynyl)phenyl isocyanide

FS 3D CONCORD

MF C18 H25 N Si

SR CA

LC STN Files: CA, CAPLUS

$$Me_3Si-C = C \qquad Pr-i$$

$$N = C$$

$$i-Pr$$

```
L7 ANSWER 22 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN
```

RN 213334-93-1 REGISTRY

ED Entered STN: 28 Oct 1998

CN Silane, [(2-isocyanophenyl)ethynyl]trimethyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2-[(Trimethylsily1)ethynyl]phenyl isocyanide

FS 3D CONCORD

MF C12 H13 N Si

CI COM

SR CA

LC STN Files: CA, CAPLUS, CASREACT

11 REFERENCES IN FILE CA (1907 TO DATE)

12 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 23 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN

RN 185910-19-4 REGISTRY

ED Entered STN: 06 Feb 1997

CN Silane, [(2-isocyano-1,3,5-benzenetriy1)trimethylidyne]hexakis[trimet
hyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2,4,6-Tris[bis(trimethylsilyl)methyl]phenyl isocyanide

MF C28 H59 N Si6

SR CA

LC STN Files: CA, CAPLUS, CASREACT

- 3 REFERENCES IN FILE CA (1907 TO DATE)
- 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 38 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN

RN 30748-16-4 REGISTRY

ED Entered STN: 16 Nov 1984

CN Silane, (isocyanomethylene)bis[trimethyl- (9CI) (CA INDEX NAME) OTHER CA INDEX NAMES:

CN Methyl isocyanide, bis(trimethylsilyl) - (8CI)

FS 3D CONCORD

MF C8 H19 N Si2

LC STN Files: BEILSTEIN*, CA, CAPLUS

(*File contains numerically searchable property data)

$$\begin{array}{c} \text{SiMe3} \\ \mid \\ \text{Me3Si-CH-N} \stackrel{+}{\Longrightarrow} \text{C-} \end{array}$$

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 39 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN

RN 30718-18-4 REGISTRY

ED Entered STN: 16 Nov 1984

CN Silane, (isocyanomethylidyne)tris[trimethyl- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Methyl isocyanide, tris(trimethylsilyl)- (8CI)

OTHER NAMES:

CN Tris(trimethylsilyl)methyl isocyanide

FS 3D CONCORD

MF C11 H27 N Si3

LC STN Files: BEILSTEIN*, CA, CAPLUS

(*File contains numerically searchable property data)

$$\begin{array}{c|c} SiMe_3 \\ & \downarrow \\ Me_3Si-C-N \stackrel{+}{\Longrightarrow} C^- \\ & \downarrow \\ SiMe_3 \end{array}$$

- 2 REFERENCES IN FILE CA (1907 TO DATE)
- 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 36 OF 43 REGISTRY COPYRIGHT 2006 ACS on STN

RN 61640-59-3 REGISTRY

ED Entered STN: 16 Nov 1984

CN Isocyanamide, bis(trimethylsilyl) - (9CI) (CA INDEX NAME)

OTHER NAMES:

CN Bis(trimethylsilyl)aminoisocyanide

FS 3D CONCORD

MF C7 H18 N2 Si2

LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, CHEMINFORMRX (*File contains numerically searchable property data)

$$\begin{tabular}{ll} SiMe_3 \\ & & | & + \\ Me_3Si-N-N & \hline \hline \end{array} C^-$$

6 REFERENCES IN FILE CA (1907 TO DATE)

6 REFERENCES IN FILE CAPLUS (1907 TO DATE)

ACCESSION NUMBER: 2005:409268 CAPLUS DOCUMENT NUMBER: 142:463722 TITLE: Process for the preparation of imidazoles from nitriles and silylmethyl isocyanides. INVENTOR(S): Dolby, Lloyd J.; Esfandiari, Shervin; Garst, Michael Ε. PATENT ASSIGNEE(S): USA SOURCE: U.S. Pat. Appl. Publ., 9 pp. CODEN: USXXCO DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE						
US 2005101785	A1	20050512	US 2003-706474	20031111						
WO 2005047267	A1	20050526	WO 2004-US37154	20041105						
W: AE, AG,	AL, AM, A		BA, BB, BG, BR, BW, I							
CN, CO,	CR, CU, (CZ, DE, DK,	DM, DZ, EC, EE, EG, I	ES, FI, GB, GD,						
GE, GH,	GM, HR, H	HU, ID, IL,	IN, IS, JP, KE, KG, I	KP, KR, KZ, LC,						
			MD, MG, MK, MN, MW, M							
			RO, RU, SC, SD, SE, S							
			UG, US, UZ, VC, VN,							
			NA, SD, SL, SZ, TZ, U							
			TM, AT, BE, BG, CH, C							
			IE, IS, IT, LU, MC, M							
			CG, CI, CM, GA, GN, C							
	TD, TG			2, -, -, -, -, -, -, -, -, -, -, -, -, -,						
PRIORITY APPLN. INFO). :		US 2003-706474	A 20031111						
OTHER SOURCE(S):		CASREACT 142:463722; MARPAT 142:463722								
GI										

Title compds. [I; R = (substituted) (heteroatom-containing) aryl, alkyl, AB alkenyl, alkynyl], were prepared by reaction of RCN with a silylmethyl isocyanide. Thus, a solution of KOCMe3 in dimethoxyethane was treated with trimethylsilylmethyl isocyanide (preparation given) and then with (3-cyclohexenyl)acetonitrile in dimethoxyethane over 25 min.; after 45 min. KF was added followed by 8 h reflux to give 52% 4(5)-(cyclohexene-3ylmethyl) imidazole.

IT 30718-17-3P

> RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation of imidazoles from nitriles and silylmethyl isocyanides)

RN 30718-17-3 CAPLUS

Silane, (isocyanomethyl)trimethyl- (9CI) (CA INDEX NAME) CN

$$Me_3Si-CH_2-N \stackrel{+}{=} C-$$

L2 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:166498 CAPLUS

DOCUMENT NUMBER: 130:223295

TITLE: Preparation of imidazoquinoxaline protein tyrosine

kinase inhibitors

INVENTOR(S): Barrish, Joel C.; Chen, Ping; Das, Jagabandhu;

Iwanowicz, Edwin J.; Norris, Derek J.; Padmanabha,

Ramesh; Roberge, Jacques Y.; Schieven, Gary L.

PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA

SOURCE:

PCT Int. Appl., 315 pp.

CODEN: PIXXD2

DOCUMENT TYPE: LANGUAGE: Patent English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.				KIND DATE			APPLICATION NO.					DATE					
						-									-		
WO	WO 9909845			Al 19990304			WO 1998-US16027						19980803				
	W :	AL,	AM,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BR	, BY,	CA,	CH,	CN,	CU,	CZ,	DE,
		DK,	EE,	ES,	FI,	GB,	GE,	GH,	GM,	HU	, ID,	ΙL,	IS,	JP,	KE,	KG,	KP,
		KR,	ΚZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV	, MD,	MG,	MK,	MN,	MW,	MX,	NO,
		ΝZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI	, SK,	SL,	TJ,	TM,	TR,	TT,	UA,
		UG,	UZ,	VN,	YU,	ZW,	AM,	ΑZ,	BY,	KG	, KZ,	MD,	RU,	TJ,	TM		
	RW:	GH,	GM,	ΚE,	LS,	MW,	SD,	SZ,	UG,	ZW	, AT,	BE,	CH,	CY,	DE,	DK,	ES,
		FΙ,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL	, PT,	SE,	BF,	ВJ,	CF,	CG,	CI,
			GA,	GN,	GW,	ML,	MR,	ΝĒ,	SN,	TD	, TG						
US	6235	740			B1		2001	0522	1	US :	1998-9	9733	3		1	9980	615
AU	9886	817			A1						1998-8				1	9980	803
ZA	9807	649			Α		2000	0224	;	ZA :	1998-	7649			1	9980	824
PRIORITY	Y APP	LN.	INFO	.:					Ī	US :	1997-	5677	OP		P 1	9970	825
									1	US :	1997-6	5915	9P		P 1	9971:	209
									1	OW	1998-Մ	JS16	027	1	W 1	9980	803

III

OTHER SOURCE(S):

MARPAT 130:223295

GI

AB Novel imidazoquinoxalines I and salts thereof are disclosed [wherein: n =0-4; R1, R2, R3 = H, R6, OH, OR6, SH, SR6, CO2H, SO3H, halo, cyano, NO2, etc.; R1-R3 may form ring(s); R4, R5 = H, R6, COR6; or NR4R5 forms (un) substituted 3- to 8-membered heterocyclic ring; R6 = (un) substituted alk(en/yn)yl, cycloalk(en)yl(alkyl), aryl, aralkyl, heterocyclo(alkyl)]. Also disclosed are pharmaceutical compns. containing the compds., and methods of their use in the treatment of various protein tyrosine kinase-associated disorders, such as immunol. disorders (no data). Over 500 synthetic examples are given. For instance, the nitroimidazoloquinoxalinone II (prepared in 4 steps) was treated with POCl3 to give 78% of the corresponding chloro compound, which reacted with NaN(SiMe3)2 and 2-chloro-6-methylaniline in THF to give 86% title compound III. 30718-17-3, Trimethylsilylmethyl isocyanide IT RL: RCT (Reactant); RACT (Reactant or reagent) (starting material; preparation of imidazoquinoxalines as protein tyrosine kinase inhibitors) RN 30718-17-3 CAPLUS CN Silane, (isocyanomethyl)trimethyl- (9CI) (CA INDEX NAME) Me₃Si-CH₂-N=C-REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT ANSWER 3 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN ACCESSION NUMBER: 1982:563069 CAPLUS DOCUMENT NUMBER: 97:163069 TITLE: New building blocks for heterocyclic syntheses. Silylated methyl isothiocyanates AUTHOR (S): Hirao, Toshikazu; Yamada, Atsushi; Hayashi, Kenichiro; Ohshiro, Yoshiki; Agawa, Toshio CORPORATE SOURCE: Fac. Eng., Osaka Univ., Suita, 565, Japan SOURCE: Bulletin of the Chemical Society of Japan (1982), 55(4), 1163-7 CODEN: BCSJA8; ISSN: 0009-2673 DOCUMENT TYPE: Journal LANGUAGE: English OTHER SOURCE(S): CASREACT 97:163069 Me3SiCH2NCS (I), (Me3Si)2CHNCS (II) and (Me3Si)3CNCS (III) were prepared F--catalyzed reaction of I with aldehydes or ketones afforded oxazolidine-2-thione derivs. via the intermediate isothiocyanato carbanion. Imidazolidine-2-thiones were similarly prepared from imines. II reaction with PhCHO in the presence of a catalytic amount of Bu4N+ F- gave PhCH: CHNCS and 5-phenyl-4-(trimethylsilyl)oxazolidine-2thione. Similar treatment of III gave 4-benzyl-5-phenyl-4-oxazoline-2thione and Me3SiCPh:CHNCS. 30718-17-3

RL: RCT (Reactant); RACT (Reactant or reagent)

Silane, (isocyanomethyl)trimethyl- (9CI) (CA INDEX NAME)

(addition reaction with sulfur)

 $Me_3Si-CH_2-N \stackrel{+}{=} C$

30718-17-3 CAPLUS

RN

CN